

VELCRO DISCS



Company Profile

Yurt, with its experience in Innovative Industrial Solutions, cooperates with many leading global companies in its sector.

Providing service with its innovative products in the developing industrialization and ever-expanding industrial solutions market, Yurt has built all its processes on meeting the needs and expectations of its customers with high performance.

Based in Turkey, Yurt is a global player operating in many markets, primarily in Europe.

Since the founding of the company in 2010, Yurt has gained a good place in the abrasive industry by launching numerous new products.

Our Vision

To increase customer satisfaction and loyalty by offering our innovative products with superior performance and quality in the industrial solutions sector,

To become a highly preferred international brand by continuously increasing our global market share by making a difference in competitive power,

To maintain by increasing the importance and value we attach to sustainability, environmental awareness, human safety and education.





Innovative

Yurt maintains its place as leader in the sector by anticipating its customers's requirements to create innovative technologies. Finding new solutions to help customers improve their industrial processes drives the company's everyday decisions.



Industrial

Focusing on superior technology and customer support, Yurt is one of the top suppliers in the global abrasive industry. Having a worldwide network, company have operations, not only in Europe, but also in various important global bases.




Solutions

As the leader in the abrasive industry, Yurt does not only offer products to its customers, it offers solutions that are tailored to individual customer requirements. Yurt provides added value abrasive solutions generated as a result of innovative ideas that aim to revolutionise abrasive industry.

Velcro & Wide Belt Abrasives

Yurt offers a variety of lightweight abrasive products that can be supplied in jumbo roll, velcro disc or wide belt form. The products can be used in a wide range of applications, usually in orbital sanding or wide belt processes.

Offering products in different options, Yurt is one of the world's largest distributors, supplying abrasives for the entire global abrasives market.



Technical Table

Product Code																												Product Forms	Application Area					Features										
								Grit Range																																				
Abrasive	Backing	Version	Abrasive	Backing	Coating	Jumbo Width	Grit Range	24	36	40	60	80	100	120	150	180	220	240	280	320	400	500	600	800	1000	1200	1500	2000	Jumbo	Velcro Disc	Genis Bant	Wood	Low Alloy Steel	Stainless Steel / Inox	High Alloy Steel / Heat Resistant Steel	Paint / Varnish / Lacquer	Glass / Stone / Granite / Ceramic	Plastic / Rubber / Leather	Suitable for Wet Applications	Friction & Heat Absorbant	Anti-Clogging	Tear Resistant		
A	PF	1	Aluminum Oxide	Polyester Film	Stearate & Semi Open	1400 mm	40-2000			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•				•	•	•		
CE	PF	1	Ceramic	Polyester Film	Top Size & Semi Open	1400 mm	40-600			•	•	•	•	•	•	•	•	•		•	•		•						•	•			•	•						•	•		•	
A	C	1	Aluminum Oxide	C Weight Paper	Stearate & Open	1400 mm	40-800			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					•	•		•				•	•					•		
A0	E	1	Aluminum Oxide	E Weight Paper	Antistatic & Closed	1400 mm	40-400			•	•	•	•	•	•	•	•	•	•	•	•								•	•	•	•				•	•					•		
SC	E	1	Silicon Carbide	E Weight Paper	Antistatic & Closed	1400 mm	24-1000	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•				•	•					•		
CE	F	1	Ceramic	F Weight Paper	Antistatic & Closed	1400 mm	36-220		•	•	•	•	•	•	•	•	•												•	•	•			•	•							•		

Green Aluminum Oxide Polyester Film Backing Velcro Abrasive

Velcro Jumbo APF1-V-JB

Ideal for sanding various types of surfaces in automotive, paint, marine, wood and stainless steel sectors. Polyester film backing with semi-open coated Aluminum Oxide abrasive, also with anti-clogging Stearate coating which allows faster cutting, long lifetime and constant grinding. Ideal for sanding paint and primer in automotive industry. Suitable for dry and wet applications. Tear resistant.




Technical Data

Product Code : APF1-V-JB	Jumbo Width : 1400 mm	App. Area : Automotive, Paint, Marine, Stainless Steel, Wood Sectors
Abrasive : Aluminum Oxide	Grit Range : 40-2000	Features : Suitable for Dry and Wet Applications. Tear Resistant. Anti-Clogging Stearate Coating.
Backing : Polyester Film	App. Method : Jumbo	
Coating : Semi-Open & Stearate		
Version : Standard		

Product Code	Product Description
APF1-V-JB-40	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 40
APF1-V-JB-60	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 60
APF1-V-JB-80	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 80
APF1-V-JB-100	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 100
APF1-V-JB-120	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 120
APF1-V-JB-150	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 150
APF1-V-JB-180	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 180
APF1-V-JB-220	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 220
APF1-V-JB-240	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 240
APF1-V-JB-280	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 280
APF1-V-JB-320	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 320
APF1-V-JB-400	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 400
APF1-V-JB-500	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 500
APF1-V-JB-600	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 600
APF1-V-JB-800	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 800
APF1-V-JB-1000	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 1000
APF1-V-JB-1200	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 1200
APF1-V-JB-1500	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 1500
APF1-V-JB-2000	APF1 - Green Aluminum Oxide Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 2000





Green Aluminum Oxide Polyester Film Backing Velcro Abrasive


Velcro Disc APF1-V-D

Ideal for sanding various types of surfaces in automotive, paint, marine, wood and stainless steel sectors. Polyester film backing with semi-open coated Aluminum Oxide abrasive, also with anti-clogging Stearate coating which allows faster cutting, long lifetime and constant grinding. Ideal for sanding paint and primer in automotive industry. Suitable for dry and wet applications. Tear resistant. Can be produced with the required dimensions.

Technical Data


Product Code	: APF1-V-D	Dimension	: Upon Request	App. Area	: Automotive, Paint, Marine, Stainless Steel, Wood Sectors
Abrasive	: Aluminum Oxide	Grit Range	: 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 500, 600, 800, 1000, 1200, 1500, 2000	Features	: Suitable for Dry and Wet Applications. Tear Resistant. Anti-Clogging Stearate Coating.
Backing	: Polyester Film	App. Method	: Orbital Sander		
Coating	: Semi-Open & Stearate				
Version	: Standard				

Type	Size	Grit	Product Code
	115	40	APF1-V-D-40-115-D0
	115	60	APF1-V-D-60-115-D0
	115	80	APF1-V-D-80-115-D0
	115	100	APF1-V-D-100-115-D0
	115	120	APF1-V-D-120-115-D0
	115	150	APF1-V-D-150-115-D0
	115	180	APF1-V-D-180-115-D0
	115	220	APF1-V-D-220-115-D0
	115	240	APF1-V-D-240-115-D0
	115	280	APF1-V-D-280-115-D0
	115	320	APF1-V-D-320-115-D0
	115	400	APF1-V-D-400-115-D0
	115	500	APF1-V-D-500-115-D0
	115	600	APF1-V-D-600-115-D0
	115	800	APF1-V-D-800-115-D0
	115	1000	APF1-V-D-1000-115-D0
	115	1200	APF1-V-D-1200-115-D0
	115	1500	APF1-V-D-1500-115-D0
	115	2000	APF1-V-D-2000-115-D0
	125	40	APF1-V-D-40-125-D0
	125	60	APF1-V-D-60-125-D0
	125	80	APF1-V-D-80-125-D0
	125	100	APF1-V-D-100-125-D0
	125	120	APF1-V-D-120-125-D0
	125	150	APF1-V-D-150-125-D0
	125	180	APF1-V-D-180-125-D0
	125	220	APF1-V-D-220-125-D0
	125	240	APF1-V-D-240-125-D0
	125	280	APF1-V-D-280-125-D0
	125	320	APF1-V-D-320-125-D0
	125	400	APF1-V-D-400-125-D0
	125	500	APF1-V-D-500-125-D0
	125	600	APF1-V-D-600-125-D0
	125	800	APF1-V-D-800-125-D0
	125	1000	APF1-V-D-1000-125-D0
	125	1200	APF1-V-D-1200-125-D0
	125	1500	APF1-V-D-1500-125-D0
	125	2000	APF1-V-D-2000-125-D0



No Holes

Type	Size	Grit	Product Code
	150	40	APF1-V-D-40-150-D7
	150	60	APF1-V-D-60-150-D7
	150	80	APF1-V-D-80-150-D7
	150	100	APF1-V-D-100-150-D7
	150	120	APF1-V-D-120-150-D7
	150	150	APF1-V-D-150-150-D7
	150	180	APF1-V-D-180-150-D7
	150	220	APF1-V-D-220-150-D7
	150	240	APF1-V-D-240-150-D7
	150	280	APF1-V-D-280-150-D7
	150	320	APF1-V-D-320-150-D7
	150	400	APF1-V-D-400-150-D7
	150	500	APF1-V-D-500-150-D7
	150	600	APF1-V-D-600-150-D7
	150	800	APF1-V-D-800-150-D7
	150	1000	APF1-V-D-1000-150-D7
	150	1200	APF1-V-D-1200-150-D7
	150	1500	APF1-V-D-1500-150-D7
	150	2000	APF1-V-D-2000-150-D7



7 Holes

Purple Ceramic Polyester Film Backing Velcro Abrasive

Velcro Jumbo CEPF1-V-JB

Ideal for sanding various types of surfaces in metal industries. Polyester film backing with semi-open coated Ceramic abrasive, also with friction and heat resistant special Top Size coating. Ideal for sanding stainless steel and high alloy steel materials. Suitable for dry and wet applications. Tear resistant.




Technical Data

Product Code : CEPF1-V-JB	Version : Standard	App. Area : Stainless Steel and High Alloy Steel Materials
Abrasive : Ceramic	Jumbo Width : 1400 mm	Features : Suitable for Dry and Wet Applications, Friction and Heat Absorbant and Tear Resistant
Backing : Polyester Film	Grit Range : 40-600	
Coating : Semi-Open & Top Size	App. Method : Jumbo	

Product Code	Product Description
CEPF1-V-JB-40	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 40
CEPF1-V-JB-60	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 60
CEPF1-V-JB-80	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 80
CEPF1-V-JB-100	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 100
CEPF1-V-JB-120	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 120
CEPF1-V-JB-150	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 150
CEPF1-V-JB-180	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 180
CEPF1-V-JB-220	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 220
CEPF1-V-JB-240	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 240
CEPF1-V-JB-320	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 320
CEPF1-V-JB-400	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 400
CEPF1-V-JB-600	CEPF1 - Purple Ceramic Polyester Film Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 600






Purple Ceramic Polyester Film Backing Velcro Abrasive


Velcro Disc CEPF1-V-D

Ideal for sanding various types of surfaces in metal industries. Polyester film backing with semi-open coated Ceramic abrasive, also with friction and heat resistant special Top Size coating. Ideal for sanding stainless steel and high alloy steel materials. Suitable for dry and wet applications. Tear resistant. Can be produced with the required dimensions.

Technical Data

Product Code : CEPF1-V-D	Version : Standard	App. Area : Stainless Steel and High Alloy Steel Materials
Abrasive : Ceramic	Dimension : Upon Request	Features : Suitable for Dry and Wet Applications, Friction and Heat Absorbant and Tear Resistant
Backing : Polyester Film	Grit Range : 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 600	
Coating : Semi-Open & Top Size	App. Method : Orbital Sander	

Type	Size	Grit	Product Code
 No Holes	115	40	CEPF1-V-D-40-115-D0
	115	60	CEPF1-V-D-60-115-D0
	115	80	CEPF1-V-D-80-115-D0
	115	100	CEPF1-V-D-100-115-D0
	115	120	CEPF1-V-D-120-115-D0
	115	150	CEPF1-V-D-150-115-D0
	115	180	CEPF1-V-D-180-115-D0
	115	220	CEPF1-V-D-220-115-D0
	115	240	CEPF1-V-D-240-115-D0
	115	320	CEPF1-V-D-320-115-D0
	115	400	CEPF1-V-D-400-115-D0
	115	600	CEPF1-V-D-600-115-D0
	125	40	CEPF1-V-D-40-125-D0
	125	60	CEPF1-V-D-60-125-D0
	125	80	CEPF1-V-D-80-125-D0
	125	100	CEPF1-V-D-100-125-D0
	125	120	CEPF1-V-D-120-125-D0
	125	150	CEPF1-V-D-150-125-D0
	125	180	CEPF1-V-D-180-125-D0
	125	220	CEPF1-V-D-220-125-D0
	125	240	CEPF1-V-D-240-125-D0
	125	320	CEPF1-V-D-320-125-D0
	125	400	CEPF1-V-D-400-125-D0
	125	600	CEPF1-V-D-600-125-D0

Type	Size	Grit	Product Code
 7 Holes	150	40	CEPF1-V-D-40-150-D7
	150	60	CEPF1-V-D-60-150-D7
	150	80	CEPF1-V-D-80-150-D7
	150	100	CEPF1-V-D-100-150-D7
	150	120	CEPF1-V-D-120-150-D7
	150	150	CEPF1-V-D-150-150-D7
	150	180	CEPF1-V-D-180-150-D7
	150	220	CEPF1-V-D-220-150-D7
	150	240	CEPF1-V-D-240-150-D7
	150	320	CEPF1-V-D-320-150-D7
	150	400	CEPF1-V-D-400-150-D7
	150	600	CEPF1-V-D-600-150-D7

Yellow Aluminum Oxide C Weight Paper Backing Velcro Abrasive

Velcro Jumbo AC1-V-JB

Ideal for sanding undercoated, painted and varnished surfaces in wood, automotive, paint and marine sectors. C weight paper backing with open coated Aluminum Oxide abrasive, also with anti-clogging stearate coating which allows long lifetime and constant grinding.




Technical Data

Product Code : AC1-V-JB	Version : Standard	App. Area : Wood, Automotive, Paint, Marine Sectors
Abrasive : Aluminium Oxide	Jumbo Width : 1400 mm	Features : Anti-Clogging
Backing : C Weight Paper	Grit Range : 40-800	
Coating : Open & Stearate	App. Method : Jumbo	

Product Code	Product Description
AC1-V-JB-40	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 40
AC1-V-JB-60	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 60
AC1-V-JB-80	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 80
AC1-V-JB-100	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 100
AC1-V-JB-120	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 120
AC1-V-JB-150	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 150
AC1-V-JB-180	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 180
AC1-V-JB-220	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 220
AC1-V-JB-240	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 240
AC1-V-JB-280	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 280
AC1-V-JB-320	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 320
AC1-V-JB-400	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 400
AC1-V-JB-500	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 500
AC1-V-JB-600	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 600
AC1-V-JB-800	AC1 - Yellow Aluminum Oxide Paper Backing Velcro Abrasive - Jumbo (width: 1400 mm) - Grit 800





Yellow Aluminum Oxide C Weight Paper Backing Velcro Abrasive


Velcro Disc AC1-V-D

Ideal for sanding undercoated, painted and varnished surfaces in wood, automotive, paint and marine sectors. C weight paper backing with open coated Aluminum Oxide abrasive, also with anti-clogging Stearate coating which allows long lifetime and constant grinding. Can be produced with the required dimensions.

Technical Data


Product Code	: AC1-V-D	Version	: Standard	App. Method	: Orbital Sander
Abrasive	: Aluminium Oxide	Dimension	: Upon Request	App. Area	: Wood, Automotive, Paint, Marine Sectors
Backing	: C Weight Paper	Grit Range	: 40, 60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 400, 500, 600, 800	Features	: Anti-Clogging
Coating	: Open & Stearate				

Type	Size	Grit	Product Code
	115	40	AC1-V-D-40-115-D0
	115	60	AC1-V-D-60-115-D0
	115	80	AC1-V-D-80-115-D0
	115	100	AC1-V-D-100-115-D0
	115	120	AC1-V-D-120-115-D0
	115	150	AC1-V-D-150-115-D0
	115	180	AC1-V-D-180-115-D0
	115	220	AC1-V-D-220-115-D0
	115	240	AC1-V-D-240-115-D0
	115	280	AC1-V-D-280-115-D0
	115	320	AC1-V-D-320-115-D0
	115	400	AC1-V-D-400-115-D0
	115	500	AC1-V-D-500-115-D0
	115	600	AC1-V-D-600-115-D0
	115	800	AC1-V-D-2000-115-D0
	125	40	AC1-V-D-40-125-D0
	125	60	AC1-V-D-60-125-D0
	125	80	AC1-V-D-80-125-D0
	125	100	AC1-V-D-100-125-D0
	125	120	AC1-V-D-120-125-D0
	125	150	AC1-V-D-150-125-D0
	125	180	AC1-V-D-180-125-D0
	125	220	AC1-V-D-220-125-D0
	125	240	AC1-V-D-240-125-D0
	125	280	AC1-V-D-280-125-D0
	125	320	AC1-V-D-320-125-D0
	125	400	AC1-V-D-400-125-D0
	125	500	AC1-V-D-500-125-D0
	125	600	AC1-V-D-600-125-D0
	125	800	AC1-V-D-2000-125-D0



No Holes

Type	Size	Grit	Product Code
	150	40	AC1-V-D-40-150-D7
	150	60	AC1-V-D-60-150-D7
	150	80	AC1-V-D-80-150-D7
	150	100	AC1-V-D-100-150-D7
	150	120	AC1-V-D-120-150-D7
	150	150	AC1-V-D-150-150-D7
	150	180	AC1-V-D-180-150-D7
	150	220	AC1-V-D-220-150-D7
	150	240	AC1-V-D-240-150-D7
	150	280	AC1-V-D-280-150-D7
	150	320	AC1-V-D-320-150-D7
	150	400	AC1-V-D-400-150-D7
	150	500	AC1-V-D-500-150-D7
	150	600	AC1-V-D-600-150-D7
	150	800	AC1-V-D-800-150-D7



7 Holes

Red Aluminum Oxide E Weight Paper Backing Abrasive / Velcro Abrasive

Jumbo / Velcro Jumbo AOE1-JB / AOE1-V-JB

Ideal for sanding wood, low alloy steel, paint, varnish lacquer, plastic rubber and leather. E weight paper backing with antistatic closed coated Aluminum Oxide abrasive, allows long lifetime and constant grinding.



Technical Data

Product Code : AOE1-JB / AOE1-V-JB

Abrasive : Aluminum Oxide

Backing : E Weight Paper

Coating : Antistatic & Closed


Jumbo Width : 1400 mm

Grit Range : 40-400

App. Method : Jumbo, Velcro, Wide Belt

App. Area : Wood, Low Alloy Steel, Paint, Varnish, Lacquer, Plastic, Rubber, Leather

Product Code	Product Description
AOE1-JB-40	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 40
AOE1-JB-60	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 60
AOE1-JB-80	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 80
AOE1-JB-100	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 100
AOE1-JB-120	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 120
AOE1-JB-150	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 150
AOE1-JB-180	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 180
AOE1-JB-220	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 220
AOE1-JB-240	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 240
AOE1-JB-280	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 280
AOE1-JB-320	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 320
AOE1-JB-400	AOE1 - Red Aluminum Oxide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 400
AOE1-V-JB-40	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 40
AOE1-V-JB-60	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 60
AOE1-V-JB-80	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 80
AOE1-V-JB-100	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 100
AOE1-V-JB-120	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 120
AOE1-V-JB-150	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 150
AOE1-V-JB-180	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 180
AOE1-V-JB-220	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 220
AOE1-V-JB-240	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 240
AOE1-V-JB-280	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 280
AOE1-V-JB-320	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 320
AOE1-V-JB-400	AOE1 - Red Aluminum Oxide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 400



Red Aluminum Oxide
E Weight Paper
Velcro Abrasive

Velcro Disc AOE1-V-D

Ideal for sanding wood, low alloy steel, paint, varnish lacquer, plastic rubber and leather. E weight paper backing with antistatic closed coated Aluminum Oxide abrasive, allows long lifetime and constant grinding.

Type	Size	Grit	Product Code
No Holes	115	40	AOE1-V-D-40-115-D0
	115	60	AOE1-V-D-60-115-D0
	115	80	AOE1-V-D-80-115-D0
	115	100	AOE1-V-D-100-115-D0
	115	120	AOE1-V-D-120-115-D0
	115	150	AOE1-V-D-150-115-D0
	115	180	AOE1-V-D-180-115-D0
	115	220	AOE1-V-D-220-115-D0
	115	240	AOE1-V-D-240-115-D0
	115	280	AOE1-V-D-280-115-D0
	115	320	AOE1-V-D-320-115-D0
	115	400	AOE1-V-D-400-115-D0

Type	Size	Grit	Product Code
No Holes	125	40	AOE1-V-D-40-125-D0
	125	60	AOE1-V-D-60-125-D0
	125	80	AOE1-V-D-80-125-D0
	125	100	AOE1-V-D-100-125-D0
	125	120	AOE1-V-D-120-125-D0
	125	150	AOE1-V-D-150-125-D0
	125	180	AOE1-V-D-180-125-D0
	125	220	AOE1-V-D-220-125-D0
	125	240	AOE1-V-D-240-125-D0
	125	280	AOE1-V-D-280-125-D0
	125	320	AOE1-V-D-320-125-D0
	125	400	AOE1-V-D-400-125-D0

Type	Size	Grit	Product Code
7 Holes	150	40	AOE1-V-D-40-150-D7
	150	60	AOE1-V-D-60-150-D7
	150	80	AOE1-V-D-80-150-D7
	150	100	AOE1-V-D-100-150-D7
	150	120	AOE1-V-D-120-150-D7
	150	150	AOE1-V-D-150-150-D7
	150	180	AOE1-V-D-180-150-D7
	150	220	AOE1-V-D-220-150-D7
	150	240	AOE1-V-D-240-150-D7
	150	280	AOE1-V-D-280-150-D7
	150	320	AOE1-V-D-320-150-D7
	150	400	AOE1-V-D-400-150-D7



Red Aluminum Oxide
E Weight Paper
Wide Belt Abrasive

Wide Belt Abrasive AOE1-WB

Ideal for sanding wood, low alloy steel, paint, varnish lacquer, plastic rubber and leather. E weight paper backing with antistatic closed coated Aluminum Oxide abrasive, allows long lifetime and constant grinding. Can be produced with the required dimensions.

Black Silicon Carbide

E Weight Paper

Abrasive / Velcro Abrasive

Jumbo / Velcro Jumbo

SCE1-JB / SCE1-V-JB

Ideal for sanding wood, low alloy steel, paint, varnish lacquer, glass, stone, granite and ceramic. E weight paper backing with antistatic closed coated Silicon Carbide abrasive, allows long lifetime and constant grinding.



Technical Data

Product Code : SCE1-JB / SCE1-V-JB

Abrasive : Silicon Carbide

Backing : E Weight Paper

Coating : Antistatic & Closed


Jumbo Width : 1400 mm

Grit Range : 24-1000

App. Method : Jumbo, Velcro, Wide Belt

App. Area : Wood, Low Alloy Steel, Paint, Varnish, Lacquer, Glass, Stone, Granite, Ceramic

Product Code	Product Description
SCE1-JB-24	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 24
SCE1-JB-36	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 36
SCE1-JB-40	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 40
SCE1-JB-60	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 60
SCE1-JB-80	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 80
SCE1-JB-100	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 100
SCE1-JB-120	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 120
SCE1-JB-150	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 150
SCE1-JB-180	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 180
SCE1-JB-220	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 220
SCE1-JB-240	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 240
SCE1-JB-280	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 280
SCE1-JB-320	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 320
SCE1-JB-400	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 400
SCE1-JB-600	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 600
SCE1-JB-800	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 800
SCE1-JB-1000	SCE1 - Black Silicon Carbide E Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 1000
SCE1-V-JB-24	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 24
SCE1-V-JB-36	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 36
SCE1-V-JB-40	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 40
SCE1-V-JB-60	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 60
SCE1-V-JB-80	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 80
SCE1-V-JB-100	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 100
SCE1-V-JB-120	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 120
SCE1-V-JB-150	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 150
SCE1-V-JB-180	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 180
SCE1-V-JB-220	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 220
SCE1-V-JB-240	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 240
SCE1-V-JB-280	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 280
SCE1-V-JB-320	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 320
SCE1-V-JB-400	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 400
SCE1-V-JB-600	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 600
SCE1-V-JB-800	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 800
SCE1-V-JB-1000	SCE1 - Black Silicon Carbide E Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 1000



Black Silicon Carbide
E Weight Paper
Velcro Abrasive

Velcro Disc SCE1-V-D

Ideal for sanding wood, low alloy steel, paint, varnish lacquer, glass, stone, granite and ceramic. E weight paper backing with antistatic closed coated Silicon Carbide abrasive, allows long lifetime and constant grinding.

Type	Size	Grit	Product Code
No Holes	115	24	SCE1-V-D-24-115-D0
	115	36	SCE1-V-D-36-115-D0
	115	40	SCE1-V-D-40-115-D0
	115	60	SCE1-V-D-60-115-D0
	115	80	SCE1-V-D-80-115-D0
	115	100	SCE1-V-D-100-115-D0
	115	120	SCE1-V-D-120-115-D0
	115	150	SCE1-V-D-150-115-D0
	115	180	SCE1-V-D-180-115-D0
	115	220	SCE1-V-D-220-115-D0
	115	240	SCE1-V-D-240-115-D0
	115	280	SCE1-V-D-280-115-D0
	115	320	SCE1-V-D-320-115-D0
	115	400	SCE1-V-D-400-115-D0
	115	600	SCE1-V-D-600-115-D0
	115	800	SCE1-V-D-800-115-D0
	115	1000	SCE1-V-D-1000-115-D0

Type	Size	Grit	Product Code
No Holes	125	24	SCE1-V-D-24-125-D0
	125	36	SCE1-V-D-36-125-D0
	125	40	SCE1-V-D-40-125-D0
	125	60	SCE1-V-D-60-125-D0
	125	80	SCE1-V-D-80-125-D0
	125	100	SCE1-V-D-100-125-D0
	125	120	SCE1-V-D-120-125-D0
	125	150	SCE1-V-D-150-125-D0
	125	180	SCE1-V-D-180-125-D0
	125	220	SCE1-V-D-220-125-D0
	125	240	SCE1-V-D-240-125-D0
	125	280	SCE1-V-D-280-125-D0
	125	320	SCE1-V-D-320-125-D0
	125	400	SCE1-V-D-400-125-D0
	125	600	SCE1-V-D-600-125-D0
	125	800	SCE1-V-D-800-125-D0
	125	1000	SCE1-V-D-1000-125-D0

Type	Size	Grit	Product Code
7 Holes	150	24	SCE1-V-D-24-150-D7
	150	36	SCE1-V-D-36-150-D7
	150	40	SCE1-V-D-40-150-D7
	150	60	SCE1-V-D-60-150-D7
	150	80	SCE1-V-D-80-150-D7
	150	100	SCE1-V-D-100-150-D7
	150	120	SCE1-V-D-120-150-D7
	150	150	SCE1-V-D-150-150-D7
	150	180	SCE1-V-D-180-150-D7
	150	220	SCE1-V-D-220-150-D7
	150	240	SCE1-V-D-240-150-D7
	150	280	SCE1-V-D-280-150-D7
	150	320	SCE1-V-D-320-150-D7
	150	400	SCE1-V-D-400-150-D7
	150	600	SCE1-V-D-600-150-D7
	150	800	SCE1-V-D-800-150-D7
	150	1000	SCE1-V-D-1000-150-D7



Black Silicon Carbide
E Weight Paper
Wide Belt Abrasive

Wide Belt Abrasive SCE1-WB

Ideal for sanding wood, low alloy steel, paint, varnish lacquer, glass, stone, granite and ceramic. E weight paper backing with antistatic closed coated Silicon Carbide abrasive, allows long lifetime and constant grinding. Can be produced with the required dimensions.

Blue Ceramic F Weight Paper Abrasive / Velcro Abrasive

Jumbo / Velcro Jumbo CEF1-JB / CEF1-V-JB

Ideal for sanding stainless steel and high-alloy steel. F weight paper backing with antistatic closed coated Ceramic abrasive, allows long lifetime and constant grinding.



Technical Data

Product Code : CEF1-JB / CEF1-V-JB

Abrasive : Ceramic

Backing : F Weight Paper

Coating : Antistatic & Closed


Jumbo Width : 1400 mm

Grit Range : 36-220

App. Method : Jumbo, Velcro, Wide Belt

App. Area : Stainless Steel, High Alloy Steel

Product Code	Product Description
CEF1-JB-36	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 36
CEF1-JB-40	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 40
CEF1-JB-60	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 60
CEF1-JB-80	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 80
CEF1-JB-100	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 100
CEF1-JB-120	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 120
CEF1-JB-150	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 150
CEF1-JB-180	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 180
CEF1-JB-220	CEF1 - Blue Ceramic F Weight Paper Backing Abrasive - Jumbo (Width: 1400 mm) - Grit 220
CEF1-V-JB-36	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 36
CEF1-V-JB-40	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 40
CEF1-V-JB-60	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 60
CEF1-V-JB-80	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 80
CEF1-V-JB-100	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 100
CEF1-V-JB-120	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 120
CEF1-V-JB-150	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 150
CEF1-V-JB-180	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 180
CEF1-V-JB-220	CEF1 - Blue Ceramic F Weight Paper Backing Velcro Abrasive - Jumbo (Width: 1400 mm) - Grit 220



Blue Ceramic
F Weight Paper
Velcro Abrasive

Velcro Disc CEF1-V-D

Ideal for sanding stainless steel and high-alloy steel. F weight paper backing with antistatic closed coated Ceramic abrasive, allows long lifetime and constant grinding.

Type	Size	Grit	Product Code
No Holes	115	36	CEF1-V-D-36-115-D0
	115	40	CEF1-V-D-40-115-D0
	115	60	CEF1-V-D-60-115-D0
	115	80	CEF1-V-D-80-115-D0
	115	100	CEF1-V-D-100-115-D0
	115	120	CEF1-V-D-120-115-D0
	115	150	CEF1-V-D-150-115-D0
	115	180	CEF1-V-D-180-115-D0
	115	220	CEF1-V-D-220-115-D0

Type	Size	Grit	Product Code
No Holes	125	36	CEF1-V-D-36-125-D0
	125	40	CEF1-V-D-40-125-D0
	125	60	CEF1-V-D-60-125-D0
	125	80	CEF1-V-D-80-125-D0
	125	100	CEF1-V-D-100-125-D0
	125	120	CEF1-V-D-120-125-D0
	125	150	CEF1-V-D-150-125-D0
	125	180	CEF1-V-D-180-125-D0
	125	220	CEF1-V-D-220-125-D0

Type	Size	Grit	Product Code
7 Holes	150	36	CEF1-V-D-36-150-D7
	150	40	CEF1-V-D-40-150-D7
	150	60	CEF1-V-D-60-150-D7
	150	80	CEF1-V-D-80-150-D7
	150	100	CEF1-V-D-100-150-D7
	150	120	CEF1-V-D-120-150-D7
	150	150	CEF1-V-D-150-150-D7
	150	180	CEF1-V-D-180-150-D7
	150	220	CEF1-V-D-220-150-D7



Blue Ceramic
F Weight Paper
Wide Belt Abrasive

Wide Belt Abrasive CEF1-WB

Ideal for sanding stainless steel and high-alloy steel. F weight paper backing with antistatic closed coated Ceramic abrasive, allows long lifetime and constant grinding. Can be produced with the required dimensions.

Innovative Industrial Solutions



Headquarters

İkitelli OSB Mah. İsteks San. Sitesi B2 Blok No:
22 34490 Başakşehir, İstanbul / Türkiye
+90 212 485 32 69
contact@yurtglobal.com

Follow Us

 /yurtglobal
 /yurtglobal
 /yurtglobal